

PROTECTIVE GLOVES FOR FEARLESS PERFORMANCE

GRANBERG®
114.8200
CE 2377
EN 388
EN 387
EN 384
EN 381
EN 382
EN 383
EN 385
EN 386
EN 387
EN 388
EN 389
EN 390
EN 391
EN 392
EN 393
EN 394
EN 395
EN 396
EN 397
EN 398
EN 399
EN 400
EN 401
EN 402
EN 403
EN 404
EN 405
EN 406
EN 407
EN 408
EN 409
EN 410
EN 411
EN 412
EN 413
EN 414
EN 415
EN 416
EN 417
EN 418
EN 419
EN 420
EN 421
EN 422
EN 423
EN 424
EN 425
EN 426
EN 427
EN 428
EN 429
EN 430
EN 431
EN 432
EN 433
EN 434
EN 435
EN 436
EN 437
EN 438
EN 439
EN 440
EN 441
EN 442
EN 443
EN 444
EN 445
EN 446
EN 447
EN 448
EN 449
EN 450
EN 451
EN 452
EN 453
EN 454
EN 455
EN 456
EN 457
EN 458
EN 459
EN 460
EN 461
EN 462
EN 463
EN 464
EN 465
EN 466
EN 467
EN 468
EN 469
EN 470
EN 471
EN 472
EN 473
EN 474
EN 475
EN 476
EN 477
EN 478
EN 479
EN 480
EN 481
EN 482
EN 483
EN 484
EN 485
EN 486
EN 487
EN 488
EN 489
EN 490
EN 491
EN 492
EN 493
EN 494
EN 495
EN 496
EN 497
EN 498
EN 499
EN 500
EN 501
EN 502
EN 503
EN 504
EN 505
EN 506
EN 507
EN 508
EN 509
EN 510
EN 511
EN 512
EN 513
EN 514
EN 515
EN 516
EN 517
EN 518
EN 519
EN 520
EN 521
EN 522
EN 523
EN 524
EN 525
EN 526
EN 527
EN 528
EN 529
EN 530
EN 531
EN 532
EN 533
EN 534
EN 535
EN 536
EN 537
EN 538
EN 539
EN 540
EN 541
EN 542
EN 543
EN 544
EN 545
EN 546
EN 547
EN 548
EN 549
EN 550
EN 551
EN 552
EN 553
EN 554
EN 555
EN 556
EN 557
EN 558
EN 559
EN 560
EN 561
EN 562
EN 563
EN 564
EN 565
EN 566
EN 567
EN 568
EN 569
EN 570
EN 571
EN 572
EN 573
EN 574
EN 575
EN 576
EN 577
EN 578
EN 579
EN 580
EN 581
EN 582
EN 583
EN 584
EN 585
EN 586
EN 587
EN 588
EN 589
EN 590
EN 591
EN 592
EN 593
EN 594
EN 595
EN 596
EN 597
EN 598
EN 599
EN 600
EN 601
EN 602
EN 603
EN 604
EN 605
EN 606
EN 607
EN 608
EN 609
EN 610
EN 611
EN 612
EN 613
EN 614
EN 615
EN 616
EN 617
EN 618
EN 619
EN 620
EN 621
EN 622
EN 623
EN 624
EN 625
EN 626
EN 627
EN 628
EN 629
EN 630
EN 631
EN 632
EN 633
EN 634
EN 635
EN 636
EN 637
EN 638
EN 639
EN 640
EN 641
EN 642
EN 643
EN 644
EN 645
EN 646
EN 647
EN 648
EN 649
EN 650
EN 651
EN 652
EN 653
EN 654
EN 655
EN 656
EN 657
EN 658
EN 659
EN 660
EN 661
EN 662
EN 663
EN 664
EN 665
EN 666
EN 667
EN 668
EN 669
EN 670
EN 671
EN 672
EN 673
EN 674
EN 675
EN 676
EN 677
EN 678
EN 679
EN 680
EN 681
EN 682
EN 683
EN 684
EN 685
EN 686
EN 687
EN 688
EN 689
EN 690
EN 691
EN 692
EN 693
EN 694
EN 695
EN 696
EN 697
EN 698
EN 699
EN 700
EN 701
EN 702
EN 703
EN 704
EN 705
EN 706
EN 707
EN 708
EN 709
EN 710
EN 711
EN 712
EN 713
EN 714
EN 715
EN 716
EN 717
EN 718
EN 719
EN 720
EN 721
EN 722
EN 723
EN 724
EN 725
EN 726
EN 727
EN 728
EN 729
EN 730
EN 731
EN 732
EN 733
EN 734
EN 735
EN 736
EN 737
EN 738
EN 739
EN 740
EN 741
EN 742
EN 743
EN 744
EN 745
EN 746
EN 747
EN 748
EN 749
EN 750
EN 751
EN 752
EN 753
EN 754
EN 755
EN 756
EN 757
EN 758
EN 759
EN 760
EN 761
EN 762
EN 763
EN 764
EN 765
EN 766
EN 767
EN 768
EN 769
EN 770
EN 771
EN 772
EN 773
EN 774
EN 775
EN 776
EN 777
EN 778
EN 779
EN 780
EN 781
EN 782
EN 783
EN 784
EN 785
EN 786
EN 787
EN 788
EN 789
EN 790
EN 791
EN 792
EN 793
EN 794
EN 795
EN 796
EN 797
EN 798
EN 799
EN 800
EN 801
EN 802
EN 803
EN 804
EN 805
EN 806
EN 807
EN 808
EN 809
EN 810
EN 811
EN 812
EN 813
EN 814
EN 815
EN 816
EN 817
EN 818
EN 819
EN 820
EN 821
EN 822
EN 823
EN 824
EN 825
EN 826
EN 827
EN 828
EN 829
EN 830
EN 831
EN 832
EN 833
EN 834
EN 835
EN 836
EN 837
EN 838
EN 839
EN 840
EN 841
EN 842
EN 843
EN 844
EN 845
EN 846
EN 847
EN 848
EN 849
EN 850
EN 851
EN 852
EN 853
EN 854
EN 855
EN 856
EN 857
EN 858
EN 859
EN 860
EN 861
EN 862
EN 863
EN 864
EN 865
EN 866
EN 867
EN 868
EN 869
EN 870
EN 871
EN 872
EN 873
EN 874
EN 875
EN 876
EN 877
EN 878
EN 879
EN 880
EN 881
EN 882
EN 883
EN 884
EN 885
EN 886
EN 887
EN 888
EN 889
EN 890
EN 891
EN 892
EN 893
EN 894
EN 895
EN 896
EN 897
EN 898
EN 899
EN 900
EN 901
EN 902
EN 903
EN 904
EN 905
EN 906
EN 907
EN 908
EN 909
EN 910
EN 911
EN 912
EN 913
EN 914
EN 915
EN 916
EN 917
EN 918
EN 919
EN 920
EN 921
EN 922
EN 923
EN 924
EN 925
EN 926
EN 927
EN 928
EN 929
EN 930
EN 931
EN 932
EN 933
EN 934
EN 935
EN 936
EN 937
EN 938
EN 939
EN 940
EN 941
EN 942
EN 943
EN 944
EN 945
EN 946
EN 947
EN 948
EN 949
EN 950
EN 951
EN 952
EN 953
EN 954
EN 955
EN 956
EN 957
EN 958
EN 959
EN 960
EN 961
EN 962
EN 963
EN 964
EN 965
EN 966
EN 967
EN 968
EN 969
EN 970
EN 971
EN 972
EN 973
EN 974
EN 975
EN 976
EN 977
EN 978
EN 979
EN 980
EN 981
EN 982
EN 983
EN 984
EN 985
EN 986
EN 987
EN 988
EN 989
EN 990
EN 991
EN 992
EN 993
EN 994
EN 995
EN 996
EN 997
EN 998
EN 999
EN 1000

GRANBERG®

FEARLESS PERFORMANCE

GRANBERG. FOR DOERS.

For over 60 years now, we have provided first-class hand protection for every situation. What started out as a small family business has grown into one of the world's leading protective glove manufacturers. It wouldn't have been possible if we didn't have the mindset of a doer: just roll up your sleeves, and get the job done.

To all our fellow doers out there: Keep doing. Keep performing. We have got you covered.



granberggloves.com





GRANBERG 8200

We're proud to introduce **GRANBERG 8200** & **GRANBERG 6060**, a quantum leap in grip, durability, comfort, and dexterity.

The gloves set the stage for true innovation and bring chemical protective nitrile gloves to a new level never seen before.

Rig out your hands with unmatched safety and comfort, whether fishing pollock in Alaska or handling oil-based muds on a drill floor in the North Sea.

Both gloves come with a sweat-absorbing soft cotton liner.

GRANBERG 8200 & GRANBERG 6060 offer an exceptional oil grip as well as a superb fish grip.

Those who strictly comply with food safety regulations can cheer, too, as the gloves are approved for all types of food, including fatty foods.

SIZES



Art. 114.8200 **Packaging:** 6 pairs per bundle, 72 pairs per carton





GRANBERG 6060

CHEMICAL AND IMPACT RESISTANT GLOVES

Nitrile with heavy granules on the palm and fingers.
Sweat-absorbing interlock liner inside.

- Provides protection against OBMs (oil-based muds), lubricants, and fluids.
- Superb oil grip due to the special nitrile granules.
- Powerful and flexible impact protection.
- Very dexterous, able to grip even small components.

SIZES



Art. 115.6060 **Packaging:** 6 pairs per bundle, 36 pairs per carton





INDUSTRIAL GLOVES



GRANBERG 6060

Chemical and Impact Resistant Gloves

Nitrile with heavy granules on the palm and fingers, cotton interlock liner inside.

- Provides protection against OBM (oil-based muds), lubricants, and fluids.
- Superb oil grip due to the special nitrile granules.
- Powerful and flexible impact protection.
- Very dexterous, able to grip even very small components.

SUITABLE FOR:

Oil and Gas | Mining.

SIZES



Art. 115.6060 **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 5503

Cut Resistant Gloves with Impact Protection

Typhoon® HPPE with full nitrile coating, oil resistant.

- Flexible and comfortable heavy-duty gloves.
- Perfect for working in damp and greasy environments due to full nitrile coating.
- Typhoon® HPPE provides excellent cut protection.
- Soft, but powerful impact protective details on the back of the hand.

SUITABLE FOR:

Extreme working conditions for oil and gas drilling, extraction and refining | Mining | Demolition | Rigging | Heavy construction | Tool pushing etc.

SIZES



Art. 115.5503 **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 1191

Cut and Impact Resistant Gloves

Goatskin, fully Kevlar® lined.

- Soft and strong goatskin leather that provides dexterity and touch sensitivity.
- Impact protection on the back of the gloves.
- Prolonged cuff that offers better cut protection.
- Full Kevlar® lining to protect hands from cuts.
- Brightly coloured impact-protective details for better visibility and increased safety.

SUITABLE FOR:

Building and Construction | Oil and Gas | Heavy-duty applications | Rigging.

SIZES



EN ISO 21420:2020



EN 388:2016



PENDING

EN 407:2020



PENDING

Art. 115.1191

Packaging: 6 pairs per bundle; 36 pairs per carton



GRANBERG 593

Cut Resistant Gloves

Typhoon® HPPE with nitrile coating, oil resistant.

- High protection against cuts.
- Perfect for working in damp and greasy environments due to full nitrile coating.
- Excellent abrasion and tear resistance.
- Very good dexterity, touch sensitivity, and overall glove comfort.

SUITABLE FOR:

Assembly work with extremely high requirements to abrasion resistance and where there is a risk of cut injuries. | Use in areas with high risk for cuts and for users who prefer 360° coating
| Handling of glass sheets, and sharp-edged objects | Cutting of dry or oiled parts.

SIZES



EN ISO 21420:2020



EN 388:2016



4X42D

EN 407:2020



X1XXXX

Art. 116.593

Packaging: 12 pairs per bundle; 144 pairs per carton



reddot winner 2022

GRANBERG 3260

Cut, Impact, and Water-Resistant Gloves EX®

Goatskin palm, Spandex® back, TPR impact protection, waterproof ProTex® membrane, thin polyester mesh liner, hook and loop closure.

- High protection against cuts in palm and fingers, approved according to EN 388:2016 cut level D.
- Powerful but soft and flexible TPR impact protection design on the back of the hand.
- Full goatskin palm provides durability and good grip in wet and dry conditions.
- Thin and soft polyester mesh liner covers membrane and provides comfort.

SUITABLE FOR:

Work involving risk of cut and impact injuries and performed in wet weather.

SIZES



EN ISO 21420:2020



EN 388:2016



Art. 115.3260 **Packaging:** 6 pairs per bundle; 36 pairs per carton

GRANBERG 8112

All-round Winter Gloves EX®

MicroSkin Shield® material with ProTex® membrane, Spandex® back

- Flexibility and good grip.
- Provides protection against cold and moisture.
- Sewn-in thermal, waterproof and breathable ProTex® membrane.
- Warm and soft liner inside the gloves.

SUITABLE FOR:

Assembly work and other tasks in cold environments with high requirements to mobility, flexibility and grip.

SIZES



EN ISO 21420:2020



EN 388:2016



EN 511:2006



Art. 107.8112 **Packaging:** 6 pairs per bundle; 60 pairs per carton



Oeko
TEX
STANDARD
100
21.HNO.59941
Hohenstein HTTI

GRANBERG 547

Cut-Resistant Gloves

Typhoon® liner, sandy-nitrile palm coating.

- High protection against cuts – EN 388:2016 level D. Excellent abrasion resistance and tear resistance far exceeding the requirements for the highest EN 388:2016 level.
- Knit 15-gauge Typhoon® HPPE and steel fiber blend shell, comfortable and flexible – yet has good cut resistance, providing the gloves with 360° cut protection.
- Oeko-TEX® Standard 100 – 21.HNO.59941 Hohenstein HTTI

SUITABLE FOR:

Assembly work with extremely high requirements to abrasion resistance and where there is risk of cut injuries.

SIZES



Art. 116.547

Packaging: 12 pairs per bundle; 144 pairs per carton



Oeko
TEX
STANDARD
100
21.HNO.59941
Hohenstein HTTI

GRANBERG 592

Touchscreen Compatible Cut Resistant Gloves

Typhoon® material, sandy nitrile coating.

- Recommended when operating with Touch Screen Devices.
- Very good protection against cut injuries (EN 388:2016 level D) combined with superior abrasion resistance.
- Resistant to contact heat up to 100°C for 15 seconds.

SUITABLE FOR:

Touch screen applications | Work tasks with very high requirements for abrasion resistance, cut protection and touch sensitivity.

SIZES



Art. 116.592

Packaging: 12 pairs per bundle; 144 pairs per carton



GRANBERG 598

Cut Resistant Gloves

HPPE Typhoon® fibre with single-dipped sandy nitrile coating.

- Provides extreme blade cut resistance, EN 388:2016 Level F.
- Excellent abrasion and tear resistance.
- Thumb crotch reinforcement.
- Very flexible, dexterous, and comfortable fit.

SUITABLE FOR:

Activities with requirements for abrasion resistance | Handling objects with sharp, rough edges | Metal fabrication | Glass manufacturing and handling.

SIZES



Art. 116.598

Packaging: 12 pairs per bundle; 144 pairs per carton



GRANBERG 1119

Cut Resistant Assembly Gloves EX®

MacroSkin Pro® with hook and loop closure.

- A rugged work glove that lasts long.
- Cut-resistant layer in the palm.
- Reinforced palm and fingertips.
- Soft and supple neoprene wrist with adjustable hook and loop closure.

SUITABLE FOR:

Rough work, e.g. for offshore usage | Iron fixing | Sawmill work
Work involving risk of cut injuries.

SIZES



Art. 120.1119

Packaging: 12 pairs per bundle; 120 pairs per carton



GRANBERG 7000

Needle Resistant Gloves

Polyester liner, fully coated with foam Latex, needlestick resistant material.

- Needle stick-resistant material in palm, fingers and fingertips provides protection from needle hazards and increases cut resistance.
- ASTM Hypodermic Needle (25 gauges) Puncture Resistance is level 5.
- Provides extreme blade cut resistance, EN 388:2016, level F (highest level).
- Good grip in dry and wet conditions.

SUITABLE FOR:

Waste handling | Recycling | Handling objects with sharp, rough edges, etc.

SIZES

8

9

10

11

CE CAT. II

EN ISO 21420:2020

EN 388:2016



3M43F

Art. 119.7000

Packaging: 6 pairs per bundle; 36 pairs per carton



GRANBERG 1190

Cut and Impact Resistant Gloves

Goatskin, fully Kevlar® lined.

- Soft and strong goatskin leather provides the gloves good dexterity and touch sensitivity.
- Impact protection on back of hand.
- Full Kevlar® lining protects hands from cuts.
- Impact protective details in bright colour for increased safety.

SUITABLE FOR:

Building and Construction | Oil and Gas | Heavy-duty applications.

SIZES

7

8

9

10

11

12

CE CAT. II

EN ISO 21420:2020

EN 388:2016

EN 407:2020



3X22CP

X1XXXX

UK
CA

Art. 113.1190

Packaging: 6 pairs per bundle; 36 pairs per carton



reddot winner 2022

GRANBERG 4999W

Cut, Impact, and Water-Resistant Winter Gloves EX®

MicroSkin Shield® synthetic material with waterproof ProTex® membrane, hook and loop closure.

- Provides protection against cold and moisture.
- Powerful but soft impact protection on back of hand.
- Cut-resistant layer in the palm.
- Waterproof ProTex® membrane with excellent breathability.

SUITABLE FOR:

Outdoor work involving risk of cut and impact injuries and performed in cold and/or wet weather.

SIZES



EN 420:2003+A1:2009



EN 388:2016



EN 511:2006



Art. 115.4999W **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 3280

Cut- and Impact-Resistant Gloves EX®

Goatskin palm, Spandex® back, TPR impact protection, Spandex® cuff.

- High protection against cuts in palm and fingers, approved according to EN 388:2016 cut level D.
- Powerful but soft and flexible TPR impact protection design on the back of the hand.
- Full goatskin palm provides durability and good grip.
- Spandex® material on the back of the hand for good fitting, greater flexibility and breathability.

SUITABLE FOR:

Work involving risk of cut and impact injuries and performed in dry weather.

SIZES



EN ISO 21420:2020



EN 388:2016



EN 407:2020



Art. 115.3280 **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 5502

Assembly Gloves with Impact Protection

Nitrile foam coating, nylon/spandex lining.

- Very soft and flexible TPR design on the back of the hand for powerful impact protection.
- TPR protects the fragile parts of the hands and reduces shock energy on the metacarpals and knuckles.
- Exceptional comfortability with superb finger sensitivity.

SUITABLE FOR:

Work involving risk of impact injuries | Building and Construction | Warehouse work and general handling.

SIZES



EN ISO 21420:2020



EN 388:2016



4131XP

EN 407:2020



X1XXXX

Art. 115.5502 **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 6050

Chemical and Impact Resistant Gloves

Seamless nylon liner.

- Provides protection against OBMs (oil based muds), lubricants, and fluids.
- Excellent sandy nitrile grip enables users to handle dry, wet or oily surfaces with ease.
- Powerful and flexible impact protection.
- Soft and flexible.
- Made from 100% Nitrile.

SUITABLE FOR:

Oil and Gas | Mining.

SIZES



EN ISO 21420:2020



EN 388:2016



4111XP

EN ISO 374-1:2016/Type A



AJKLMMPT

EN ISO 374-5:2016



Art. 115.6050 **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 951

Single-Use Chemical Resistant Gloves

Nitrile, powder free, blue colour, 29.5 cm length.

- Soft nitrile provides excellent chemical resistance and durability.
- Extended cuff enhances protection over the wrist and forearm.
- Fully textured palm for optimum dry and wet grip.
- Extra comfortable if used with inner gloves.

SUITABLE FOR:

Automotive industry | Mechanical workshops | Light assembly | Chemical industry | DIY shops.

SIZES



EN ISO 21420:2020



EN ISO 374-1:2016/Type A



JKPST

EN ISO 374-5:2016



VIRUS

Art. 114.951

Packaging: 50 pcs per dispenser; 10 dispensers per carton



GRANBERG 940

Single-Use Chemical Resistant Gloves

Nitrile, powder free. Orange colour. 27 cm length

- Tested and approved for various chemicals.
- Micro textured for optimum grip.
- Resistant to grease, fats, detergents, etc.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Approved for medical use (EN 455).

SUITABLE FOR:

Laboratories | Chemical industry | Automotive industry | Mechanical workshops | Light assembly | Food industry.

SIZES



EN 420:2003+A1:2009



EN ISO 374-1:2016/Type B



KPT

EN ISO 374-5:2016



VIRUS



Art. 114.940

Packaging: 100 pcs per dispenser; 10 dispensers per carton

A close-up photograph of a person's hands wearing bright blue nitrile gloves. The hands are carefully garnishing a plate of spaghetti with fresh green basil leaves. The spaghetti is served on a white plate and is topped with a red tomato sauce and a dollop of white cheese. The background is a plain, light-colored surface.

FOOD & FISHERY GLOVES



GRANBERG 8200

Protective Gloves

Nitrile with heavy granules on the palm and fingers, cotton liner inside.

- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Soft and flexible, yet highly durable and long lasting.
- Special granules on the palm and fingers provide a superior grip for handling fish.
- Soft and comfortable cotton liner absorbs perspiration and helps avoid sweaty hands.
- High dexterity increases operational efficiency and reduces hand fatigue.

SUITABLE FOR:

Commercial fishing | Aquaculture | Food.

SIZES



EN ISO 21420:2020



EN 388:2016



Art. 114.8200 **Packaging:** 12 pairs per bundle; 72 pairs per carton



GRANBERG 8080

Assembly Winter Gloves

Double latex coating, acrylic liner.

- Comfortable and durable.
- Coated with a thin layer of blue waterproof latex coating.
- Black sandy latex foam overdip ensures excellent wet, dry and oily grip.
- Food approved.

SUITABLE FOR:

Construction business | Heavy duty work | Assembly of components | Shipping
| Oil and gas industry | Cold Storage | Food industries | Outdoor winter use.

SIZES



EN ISO 21420:2020



EN 388:2016



EN 511:2006



1242X

XIX

Art. 108.8080 **Packaging:** 12 pairs per bundle; 144 pairs per carton



GRANBERG 0630

Nitrile Chemical Resistant Gloves

Interlock lined.

- Durable.
- Protection against chemicals, diesel fuel, petrol and oil.
- Good anatomical fit applied for maximum comfort.
- 3-4 times longer life-span than equivalent vinyl/PVC gloves.
- Approved to be used in direct contact with all types of food, including fatty foods.

SUITABLE FOR:

Direct contact with all types of foodstuffs | Oil and petrochemical industry
| Fishing/fish farming | Handling shellfish | Deck work etc.

SIZES



EN ISO 21420:2020



EN 388:2016



3121X

EN ISO 374-1:2016/Type C



JKOPT

EN ISO 374-5:2016



Art. 114.0630 **Packaging:** 10 pairs per bundle; 120 pairs per carton



GRANBERG 0630W

Nitrile Chemical Resistant Winter Gloves

Winter lined

- Durable.
- Protection against cold and chemicals, diesel fuel, petrol and oil.
- Good anatomical fit applied for maximum comfort.
- 3-4 times longer life-span than equivalent vinyl/PVC gloves.
- Approved to be used in direct contact with all types of food, including fatty foods.

SUITABLE FOR:

Direct contact with all types of foodstuffs. | Fishing industry or work in wet and cold conditions.

SIZES



EN ISO 21420:2020



EN 388:2016



3121X

EN ISO 374-1:2016/Type B



JKOPT

EN ISO 374-5:2016



Art. 114.0630W **Packaging:** 5 pairs per bundle; 60 pairs per carton



GRANBERG 630

Single-Use Gloves

Soft Nitrile™, powder-free. Indigo colour.

- Soft and strong nitrile.
- Thinner than similar gloves, with nearly the same elasticity and touch sensitivity as latex.
- Micro textured fingertips for optimum grip.
- Approved for medical use (EN 455).

SUITABLE FOR:

Direct contact with all types of foodstuffs.

SIZES



Art. 114.630 **Packaging:** 200 pcs. per dispenser; 10 dispensers per carton



GRANBERG 633

Single-Use Gloves

Soft Nitrile™, powder-free. Black colour.

- Soft and strong nitrile.
- Thinner than similar gloves, with nearly the same elasticity and touch sensitivity as latex.
- Micro textured fingertips for optimum grip.
- Approved for medical use (EN 455).

SUITABLE FOR:

Direct contact with all types of foodstuffs.

SIZES



Art. 114.633 **Packaging:** 200 pcs. per dispenser; 10 dispensers per carton



GRANBERG 626

Single-use Gloves

Soft Nitrile™, powder free. Indigo colour.

- Soft and strong nitrile.
- Thinner than similar gloves, nearly same elasticity and touch sensitivity as latex.
- Micro textured fingertips for optimum grip.
- Resistant to grease, fats, detergents, etc.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).

SUITABLE FOR:

Direct contact with all types of foodstuffs | Medical use.

SIZES



Art. 114.626

Packaging: 300 pcs. per dispenser; 10 dispensers per carton



GRANBERG 504

Cut Resistant Warm Inner Gloves

Typhoon®

- Warm inner gloves.
- Highly recommended as a cut-resistant liner glove with single-use gloves and reusable gloves.
- Cut resistance barrier combined with finger sensitivity.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).

SUITABLE FOR:

Cold environments | Use in meat industries, catering, fish processing industries, and other food industries where knives or other sharp objects are handled.

SIZES



Art. 116.504

Packaging: 6 pairs per bundle; 72 pairs per carton



GRANBERG 502

Cut Resistant Inner Gloves Protector

Typhoon®.

- Provides high blade cut resistance, EN 388:2016, level E.
- Highly recommended as a cut-resistant liner gloves with single-use gloves and reusable gloves.
- Provides cut resistance barrier as well as finger sensitivity.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).

SUITABLE FOR:

Use in meat industries, catering, fish processing industries and other food industries where knives or other sharp objects are handled.

SIZES



EN ISO 21420:2020



EN 388:2016



TX41E



Art. 116.502

Packaging: 6 pairs per bundle; 72 pairs per outer case



GRANBERG 0122

Latex Chemical Resistant Gloves

Cotton flock lined.

- Tear-resistant beaded cuff for easy donning.
- Anti-slip pattern for good grip in wet and dry conditions.
- Pure cotton flock liner to absorb perspiration.

SUITABLE FOR:

Handling meat and fatty foodstuffs | Pharmaceutical industry | Cleaning | Light assembly | Laboratories.

SIZES



EN ISO 21420:2020



EN 388:2016



1010X

EN ISO 374-1:2016/Type A



KLMPST

EN ISO 374-5:2016



Art. 112.0122

Packaging: 12 pairs per bundle; 144 pairs per outer case

HEALTHCARE GLOVES





GRANBERG 925

Single-Use Gloves COATS®

Colloidal oatmeal coated gloves, nitrile, powder-free, dawn blue colour.

- The Colloidal Oatmeal System (COATS®) gloves contain an inner barrier to reduce skin damage and promote repair.
- Inner protective layer relieves inflammation, irritation, and itches to facilitate skin healing.
- Colloidal oatmeal moisturizes the skin, giving it a chance to rehydrate.
- Approved for medical use.

SUITABLE FOR:

Healthcare | Dental | Beauty industry | Cosmetology | Food | Laboratories.

SIZES



Art. 114.925

Packaging: 100 pcs. per dispenser; 10 dispensers per carton



GRANBERG 615

Single-use Gloves

Soft Nitrile™, powder-free. Accelerators free. Indigo blue colour. 29,5 cm length.

- Soft and strong nitrile.
- Thinner than similar gloves, with nearly the same elasticity and touch sensitivity as latex.
- 100% without chemical accelerators.
- Micro textured fingertips for optimum grip.
- Resistant to grease, fats, detergents, etc.

SUITABLE FOR:

Direct contact with all types of foodstuffs | Medical use.

SIZES



Art. 114.615

Packaging: 100 pcs. per dispenser; 10 dispensers per carton



GRANBERG 621

Single-Use Gloves

Soft Nitrile™, powder-free. Accelerators free. Indigo blue colour.

- Soft and strong nitrile.
- Thinner than similar gloves, with nearly the same elasticity and touch sensitivity as latex.
- 100% without chemical accelerators.
- Micro textured fingertips for optimum grip.
- Resistant to grease, fats, detergents, etc.

SUITABLE FOR:

Direct contact with all types of foodstuffs | Medical use.

SIZES



Art. 114.621

Packaging: 100 pcs. per dispenser; 10 dispensers per carton



GRANBERG 980

Single-Use Chemical Resistant Gloves

Nitrile, powder free. Indigo colour. 28.5 cm length.

- Tested and approved for various chemicals.
- Micro textured for optimum grip.
- Resistant to grease, fats, detergents, etc.
- Tear-resistant beaded cuff for added protection from potential chemical spills and drips.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).

SUITABLE FOR:

Laboratories | Chemical industry | Automotive industry | Mechanical workshops
| Light assembly | Food industry.

SIZES



Art. 114.980

Packaging: 50 pcs. per dispenser; 10 dispensers per carton



Say goodbye to dry and itchy hands,
and hello to soothing comfort with
Granberg's COATS® disposable gloves.

GRANBERG 925

Single-Use Gloves COATS®

Colloidal oatmeal coated gloves, nitrile, powder-free, dawn blue colour.

- The Colloidal Oatmeal System (COATS®) gloves contain an inner barrier to reduce skin damage and promote repair.
- Inner protective layer relieves inflammation, irritation, and itches to facilitate skin healing.
- Colloidal oatmeal moisturizes the skin, giving it a chance to rehydrate.
- Approved for medical use.

SIZES



Art. 114.925

Packaging: 100 pcs. per dispenser; 10 dispensers per carton.



SPORT & LEISURE GLOVES





GRANBERG 1101

Classic Leather Gloves

Sheepskin, fleece lined.

- Soft black sheepskin leather enhances dexterity and breathability.
- Fleece lining for additional comfort.
- Shirred elastic wrist for a secure fit and for wind- and cold protection.

SUITABLE FOR:

Outdoor and leisure activities performed in cold weather | Uniform profession e.g. security.

SIZES



EN ISO 21420:2020



EN 388:2016



2111X

EN 511:2006



11X

Art. 119.1101

Packaging: 6 pairs per bundle; 60 pairs per carton



GRANBERG 1102

Classic Leather Mittens

Sheepskin, fleece lined.

- Soft black sheepskin leather enhances dexterity and breathability.
- Fleece lining for additional comfort.
- Shirred elastic wrist for a secure fit and for wind- and cold protection.

SUITABLE FOR:

Outdoor and leisure activities performed in cold weather.

SIZES



EN ISO 21420:2020



EN 388:2016



2221X

EN 511:2006



32X

Art. 119.1102

Packaging: 6 pairs per bundle; 60 pairs per carton



GRANBERG 4270

Warm Alpine Ski Gloves

Goatskin palm, oxford nylon back and cuff, detachable fleece winter lining, hook and loop wrist fastening.

- Warm and soft fleece winter liner provides protection against cold.
- Extra long for those who enjoy powder skiing and want to keep warm and dry.
- Full goatskin palm provides durability and good grip in wet and dry conditions.
- Breathable oxford nylon fabric at the back of the hand and cuff provides water-resistance for activities in wet conditions.

SUITABLE FOR:

Outdoor work and activities performed in cold and/or wet weather.

SIZES



Art. 113.4270 **Packaging:** 3 pairs per bundle; 24 pairs per carton



GRANBERG 4280

Warm Alpine Ski Mittens

Goatskin palm, oxford nylon back and cuff, winter lining, 3M™ Thinsulate™ C100 Insulation, hook and loop wrist fastening.

- Warm and soft winter liner with 3M™ Thinsulate™ C100 Insulation provides protection against cold.
- Extra long for those who enjoy powder skiing and want to keep warm and dry.
- Full goatskin palm provides durability and good grip in wet and dry conditions.
- Draw-cord elastic at the end of the cuff.

SUITABLE FOR:

Outdoor work and activities performed in cold and/or wet weather.

SIZES



Art. 113.4280 **Packaging:** 3 pairs per bundle; 24 pairs per carton



GRANBERG®

TACTICAL & SECURITY GLOVES





GRANBERG 2202

Tactical Gloves

Goatskin, full Kevlar® lining.

- Full Kevlar® lining in palm and fingers protects from contact heat.
- Seamless finger tips for optimal comfort and safety.
- Goatskin leather provides excellent touch sensitivity.
- Leather reinforcements in palm are following palmar flexion creases and provide rappelling control.

SUITABLE FOR:

Rappelling.

SIZES



EN 420:2003+A1:2009

EN 388:2016

EN 407:2004



3243X



X1XXXX

Art. 119.2202 **Packaging:** 6 pairs per bundle; 72 pairs per carton



GRANBERG 2209

Tactical Rescue Gloves

Goatskin, full Kevlar® lining

- Intended for the rigorous use that a hoist operator's glove endures while controlling a hoist cable during rescue operations from military or civil helicopters.
- Also intended for fire rescue operations done by fire brigade personnel.
- Premium grade black goatskin palm and fingers.

SUITABLE FOR:

The rigorous use that a hoist operator's glove endures while controlling a hoist cable during rescue operations from military or civil helicopters. Also intended for fire rescue operations done by fire brigade personnel.

SIZES



EN 420:2003+A1:2009

EN 388:2016

EN 407:2004



3243X



X2XXXX

Art. 119.2209 **Packaging:** 6 pairs per bundle; 36 pairs per carton



GRANBERG 2212

Tactical Needle Resistant Gloves

Goatskin, touchscreen compatible.

- Palm and fingers made of premium grade black goatskin.
- Needle stick resistant material in the palm and fingers provides protection from needle hazards and increases cut resistance as well as abrasion and puncture resistance. ASTM Hypodermic Needle (25 gauge) Puncture Resistance is level 5.
- Provides extreme blade cut resistance, EN 388:2016, level F (highest level).
- Touch screen material in the fingertips for operating with Touch Screen Devices.

SUITABLE FOR:



Law enforcement | Military | Special forces | Police | Security.

SIZES



Art. 119.2212

Packaging: 6 pairs per bundle; 36 pairs per carton



 TOUCH SCREEN COMPATIBLE

 NEEDLE STICK AND CUT RESISTANT

GRANBERG®
FEARLESS PERFORMANCE



granberggloves.com

GRANBERG AS (HEAD OFFICE)

Bjoavegen 1442, NO-5584 Bjoa, NORWAY
+47 53 77 53 00
post@granberg.no

GRANBERG SVERIGE AB

Schubergsvägen 20, 311 74 Falkenberg, SWEDEN
+46 (0) 346 124 25
post@granberg-ab.se